



Product Service

# CERTIFICATE

No. Z1A 021158 0109 Rev. 00

**Holder of Certificate:** **ASSMANN BÜROMÖBEL GMBH & CO. KG**  
Heinrich-Assmann-Str. 11  
49324 Melle  
GERMANY

**Certification Mark:**



**Product:** **Office Container**

**Tested according to:** DIN EN 14073-2:2004  
DIN EN 14073-3:2004  
DIN EN 14074:2004  
DIN-Fachbericht 147:2006  
EK5/AK3 13-03:2014  
PPP 52024B:2018  
AfPS GS 2019:01 PAK

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 713213568

**Valid until:** 2026-07-28

**Date,** 2021-07-29

( Levke Koch )



# CERTIFICATE

No. Z1A 021158 0109 Rev. 00

**Model(s):**

Pontis-  
Roller and stand containers, Caddys,  
Open-space-containers, Technical containers

Roller and stand containers:

R51/6, R52/6, R53/6, R54/6, R51, R52, R53, R54, R41/6, R42/6, R43/6, R44/6; R41, R42, R43, R44, G21/6, G22/6, G23/6, G24/6, G21, G22, G23; G24, R51\_19, R52\_19, R53\_19, R54\_19, R55\_19, R51/6\_19, R52/6\_19, R53/6\_19, R54/6\_19, R55/6\_19, R41\_19, R42\_19, R43\_19, R44\_19, R41/6\_19, R42/6\_19, R43/6\_19, R44/6\_19, G21\_19, G22\_19, G23\_19, G24\_19, G21/6\_19, G22/6\_19, G23/6\_19, G24/6\_19, RM04516R0, RM04526R0, RM044536, RM04546, RM04518, RM04528, RM04538, RM04548, RM04216, RM04226, RM04236, RM04246, RM04218, RM04228, RM04238, RM04248

Caddys:

CY0410J, CY0420J, CY041051G, CY041051P, CY041053G, CY041053P, CY041054G, CY041054P, CY0425R, CY0425G, CY0425E, CY042551GR, CY042551PR, CY042553GR, CY042553PR, CY042554GR, CY042554PR, CY042551GJ, CY042551PJ, CY042553GJ, CY042553PJ, CY042554GJ, CY042554PJ, CY042551GG, CY042553GG, CY042554GG, CY042551PE, CY042553PE, CY042554PE

Open-space-containers:

APKD041008\_L, APKD041008\_R, APKM041008\_L, APKM041008\_R, APKD041009\_L, APKD041009\_R, APKM041009\_L, APKM041009\_R, APKD041010\_L, APKD041010\_R, APKM041010\_L, APKM041010\_R, APKD041508\_L, APKD041508\_R, APKM041508\_L, APKM041508\_R, APKD041509\_L, APKD041509\_R, APKM041509\_L, APKM041509\_R, APKD041510\_L, APKD041510\_R, APKM041510\_L, APKM041510\_R, APKD042508\_L, APKD042508\_R, APKM042508\_L, APKM042508\_R, APKD042509\_L, APKD042509\_R, APKM042509\_L, APKM042509\_R, APKD042510\_L, APKD042510\_R, APKM042510\_L, APKM042510\_R, APSD041508, APSD041509, APSD041510, APSD042508, APSD042509, APSD042510

# CERTIFICATE

No. Z1A 021158 0109 Rev. 00

## Model(s):

Open-space-containers - mutual use:  
 APWD042508\_L, APWD042508\_R, APWD042509\_L,  
 APWD042509R, APWD042510\_L, APWD042510\_R,  
 APWM042508\_L, APWM042508\_R, APWM042509\_L,  
 APWM042509\_R, APWM042510\_L, APWM042510\_R

Technical containers:  
 TCN10276GL, TCN10276GR, TCN10576GL, TCN10576GR,  
 TCN10216GL, TCN10216GR, TCN10226GL, TCN10226GR,  
 TCN10236GL, TCN10236GR, TCN10246GL, TCN10246GR,

TCN10516GL, TCN10516GR, TCN10526GL, TCN10526GR,  
 TCN10536GL, TCN10536GR, TCN10546GL, TCN10546GR,  
 TCN14216GL, TCN14216GR, TCN14226GL, TCN14226GR,  
 TCN14236GL, TCN14236GR, TCN14246GL, TCN14246GR,  
 TCN14516GL, TCN14516GR, TCN14526GL, TCN14526GR,  
 TCN14536GL, TCN14536GR, TCN14546GL, TCN14546GR,  
 TCN18576GR, TCN18276GR

## Parameters:

Roller and stand containers [in mm]:		
Depth	Width	Height
600	420	533
800	420	533
600	420	583
800	420	583
600	420	720
800	420	720
Caddys [in mm]:		
Depth	Width	Height
485	418	645
485	418	1041
485	420	535
485	420	1100
Open-space-containers [in mm]:		
Depth	Width	Height
801 / 901 / 1001	375	580
801 / 901 / 1001	460	740
801 / 901 / 1001	460	1165
801 / 901 / 1001	418	740
801 / 901 / 1001	418	1165

# CERTIFICATE

No. Z1A 021158 0109 Rev. 00

Open-space-Containers - mutual use [in mm]:		
Depth	Width	Height
800/900/1000	460	1165
Technical containers [in mm]:		
Depth	Width	Height
600	991	723
600	991	517
600	991	723
600	991	517
600	1387	723
600	1387	517
600	1751	517
600	1751	723

Material thicknesses:			
Roller and stand containers:		Open-space-containers:	
Side	16/19 mm	Side	19 mm
Top panel Roller container	19 mm	Top panel	19 mm
Top panel Stand container	25 mm	Top panel	25 mm
Bottom panel	16/19 mm	Bottom panel	19 mm
Fronts	16 mm	Fronts	19 mm
Backwall	25 mm	Backwall APK/APW	16 mm
		Backwall APS	25 mm
Caddys:		Technical containers:	
Side	19 mm	Side	16 mm
Top panel	19 mm	Top panel	19/25 mm
Bottom panel	19 mm	Bottom panel	19 mm
Fronts / handle	19 mm	Fronts	16 mm
Fronts / PTO	16 mm	Backwall	16 mm
Backwall	16 mm		